

Safety Wearing Apparel 2019-09

Addendum # 1

Response to Vendor Questions

September 05, 2018

- Addendum # 1 is to answer all vendor questions submitted and to revise the solicitation document Section 1.2. Please replace the table in Section 1.2. SUPPLIES AND/OR SERVICES REQUIRED with the revised table attached to this addendum. Changes have been made to the following item numbers - 1, 2, 3, 4, 21, 22, 25, 26, and 30.
- The vendor questions listed below specifically pertain to the solicitation document.
- **Question 1:** Can you share images of the garments you have specified for this bid? Either current product, or images of a preferred style? If you do not have images, can you provide the item/sku number?
- **Answer 1:** Below are images of apparel that IDOT has utilized in the past. The below images should only be used as reference. Bidders are expected to meet all specifications listed in the IFB. Some items in this IFB are new or the specifications may have changed from what is shown in the images.
- **Question 2:** Is there a minimum wash cycle for the garments in this bid?
- **Answer 2:** At this time, IDOT has not listed the minimum wash cycle for the apparel in this bid. The requirements for ANSI compliance and "Assembly" will apply.
- **Question 3:** For the orange contrasting stripe spelled out for many of the garments, is a 3 inch width acceptable for the vests? The Pioneer vest (item 34) uses this width.

- **Answer 3:** All requirements for orange contrasting stripes are listed in the specifications and should be bid as read. If the bidder deviates from these requirements, the bidder will be required to complete section 1.3.3 “Specification Compliance”.
- **Question 4:** For the various jackets and the rain pants, there is a specification for water repellent shell fabric. Would water proof, seam sealed (a higher standard) be acceptable? Or does IL only want water repellent?
- **Answer 4:** Water proof jackets and rain pants will be acceptable for Item #21, #22, # 25 and #26. Items #21, #22, # 25 and #26 have been amended to read “or waterproof” on pages 16,17,19 and 20.
- **Question 5:** For the hats, the logo application – is this ink on the regular caps and embroidery on the stocking caps? Or can the bidder select their own preferred method?
- **Answer 5:** Required method of logo application for items 1, 2, 3, and 4 have been amended to read “The method of logo application shall be screen-printed ink or embroidery”, on page 5.
- **Question 6:** Sweatshirts (item 30), the spec calls for 50/50 cotton poly blend, yet also ANSI compliant. What is the weight of this fabric (i.e. 10 ounces?) What is the brand of the current specified product?
- **Answer 6:** Sweatshirts specifications listed for Item 30 require “Color” and “Reflectivity” to be ANSI compliant. Since this is a new item we are unable to answer the question regarding current brand. Regarding the “weight of this fabric” question, the item has been amended to read: Minimum GSM of 300 grams/8.85 OZ. on page 21.

1. DESCRIPTION OF SUPPLIES AND SERVICES

1.1. GOAL: To contract with a vendor that can provide the supplies and/or services required by this Contract specified below. Vendor must provide the specified supplies and/or services and adhere to all stated performance requirements and schedules. Failure by the Vendor to comply can result in cancellation of the Contract.

1.2. SUPPLIES AND/OR SERVICES REQUIRED:

Item No.	Item Description	Estimated Quantity	Manufacturer	Brand
1	<p>CAP, SUMMER MESH, FOR IDOT. ADJUSTABLE HEADBAND, SEAMLESS FRONT.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT ORANG-RED WITH BLACK IDOT LOGO. THE METHOD OF LOGO APPLICATION SHALL BE SCREEN-PRINTED INK OR EMBROIDERY.</p> <p>ONE SIZE FITS ALL</p>	550		
2	<p>CAP, WINTER FOAM FOR IDOT. POLYESTER BACK AND FOAM CAP PANEL ADJUSTABLE HEADBAND.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT ORANGE-RED WITH BLACK IDOT LOGO. THE METHOD OF LOGO APPLICATION SHALL BE SCREEN-PRINTED INK OR EMBROIDERY.</p> <p>ONE SIZE FITS ALL</p>	550		
3	<p>CAP, WINTER FOAM, WITH EAR FLAPS, POLYESTER BACK AND FOAM CAP PANEL. ADJUSTABLE HEADBAND.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT ORANGE-RED WITH BLACK IDOT LOGO. THE METHOD OF LOGO APPLICATION SHALL BE SCREEN-PRINTED INK OR EMBROIDERY.</p> <p>ONE SIZE FITS ALL</p>	100		
4	<p>CAP, STOCKING, LIGHTWEIGHT FOR ILLINOIS DEPARTMENT OF TRANSPORTATION</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT ORANGE-RED WITH BLACK IDOT LOGO. THE METHOD OF LOGO APPLICATION SHALL BE SCREEN-PRINTED INK OR EMBROIDERY.</p>	300		

	ONE SIZE FITS ALL			
5	<p>VEST, SAFETY, 5-POINT TEAR AWAY, REFLECTIVE, ANSI CLASS 2, VELCRO (OR APPROVED EQUAL) STRAP CLOSURES, FOR IDOT. SHOULDER STRAP CLOSURES ON VEST FRONT APPROXIMATELY 4" BELOW SHOULDER HIGH POINT. 100% POLYESTER; 4 ½" WIDE MINI-DOT ORANGE MESH STRIPING WITH (2), 1" OR (1), 2" SILVER REFLECTIVE STRIPES.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN WITH BLACK IDOT LOGO ON BACK.</p> <p>SIZES: SMALL, MEDIUM, AND LARGE</p> <p>(AGENCY MUST SPECIFY SIZE)</p>	2250		
6	<p>VEST, SAFETY, 5-POINT TEAR AWAY, REFLECTIVE, ANSI CLASS 2, VELCRO (OR APPROVED EQUAL) STRAP CLOSURES, FOR IDOT. SHOULDER STRAP CLOSURES ON VEST FRONT APPROXIMATELY 4" BELOW SHOULDER HIGH POINT. 100% POLYESTER; 4 ½" WIDE MINI-DOT ORANGE MESH STRIPING WITH (2), 1" OR (1), 2" SILVER REFLECTIVE STRIPES.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN WITH BLACK IDOT LOGO ON BACK.</p> <p>SIZES: XL</p> <p>(AGENCY MUST SPECIFY SIZE)</p>	2250		
7	<p>VEST, SAFETY, 5-POINT TEAR AWAY, REFLECTIVE, ANSI CLASS 2, VELCRO (OR APPROVED EQUAL) STRAP CLOSURES, FOR IDOT. SHOULDER STRAP CLOSURES ON VEST FRONT APPROXIMATELY 4" BELOW SHOULDER HIGH POINT. 100% POLYESTER; 4 ½" WIDE MINI-DOT ORANGE MESH STRIPING WITH (2), 1" OR (1), 2" SILVER REFLECTIVE STRIPES.</p>	1600		

	<p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN WITH BLACK IDOT LOGO ON BACK.</p> <p>SIZES: 2XL</p> <p>(AGENCY MUST SPECIFY SIZE)</p>			
8	<p>VEST, SAFETY, 5-POINT TEAR AWAY, REFLECTIVE, ANSI CLASS 2, VELCRO (OR APPROVED EQUAL) STRAP CLOSURES, FOR IDOT. SHOULDER STRAP CLOSURES ON VEST FRONT APPROXIMATELY 4" BELOW SHOULDER HIGH POINT. 100% POLYESTER; 4 ½" WIDE MINI-DOT ORANGE MESH STRIPING WITH (2), 1" OR (1), 2" SILVER REFLECTIVE STRIPES.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN WITH BLACK IDOT LOGO ON BACK.</p> <p>SIZES: 3XL</p> <p>(AGENCY MUST SPECIFY SIZE)</p>	50		
9	<p>VEST, SAFETY, 5-POINT TEAR AWAY, REFLECTIVE, ANSI CLASS 2, VELCRO (OR APPROVED EQUAL) STRAP CLOSURES, FOR IDOT. SHOULDER STRAP CLOSURES ON VEST FRONT APPROXIMATELY 4" BELOW SHOULDER HIGH POINT. 100% POLYESTER; 4 ½" WIDE MINI-DOT ORANGE MESH STRIPING WITH (2), 1" OR (1), 2" SILVER REFLECTIVE STRIPES.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN WITH BLACK IDOT LOGO ON BACK.</p> <p>SIZES: 4XL</p> <p>(AGENCY MUST SPECIFY SIZE)</p>	25		
10	<p>VEST, SAFETY, 5-POINT TEAR AWAY, REFLECTIVE, ANSI CLASS 2, VELCRO (OR APPROVED EQUAL) STRAP CLOSURES, FOR IDOT. SHOULDER STRAP CLOSURES ON VEST</p>	25		

	<p>FRONT APPROXIMATELY 4" BELOW SHOULDER HIGH POINT. 100% POLYESTER; 4 ½" WIDE MINI-DOT ORANGE MESH STRIPING WITH (2), 1" OR (1), 2" SILVER REFLECTIVE STRIPES.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN WITH BLACK IDOT LOGO ON BACK.</p> <p>SIZES: 5XL</p> <p>(AGENCY MUST SPECIFY SIZE)</p>			
11	<p>VEST, SAFETY, 5-POINT TEAR AWAY, REFLECTIVE, ANSI CLASS 2, VELCRO (OR APPROVED EQUAL) STRAP CLOSURES, FOR IDOT. SHOULDER STRAP CLOSURES ON VEST FRONT APPROXIMATELY 4" BELOW SHOULDER HIGH POINT. 100% POLYESTER; 4 ½" WIDE MINI-DOT ORANGE MESH STRIPING WITH (2), 1" OR (1), 2" SILVER REFLECTIVE STRIPES.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN WITH BLACK IDOT LOGO ON BACK.</p> <p>SIZES: 6XL</p> <p>(AGENCY MUST SPECIFY SIZE)</p>	10		
12	<p>LEGGINGS, SAFETY, FOR IDOT.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN.</p> <p>100% POLYESTER OPEN WEAVE MESH MATERIAL</p> <p>ASSEMBLY: SINGLE NEEDLE CONSTRUCTION WITH 1" BIAS TABLE DYED TO MATCH AND SEWN AROUND THE ENTIRE EDGE OF THE CUTTING. THE CUTTING MEASURES 25 INCHES LONG X 14 INCHES WIDE. VELCRO (OR APPROVED EQUAL) IS SEWN ON THE TWO ENDS AT THE WIDTH OF THE MATERIAL TO PROVIDE A METHOD OF CLOSURE. ½ IN. ELASTIC IS SEWN TO THE TOP AND BOTTOM</p>	500		

	<p>LENGTH OF THE MATERIAL TO PROVIDE FLEXIBILITY OF THE GARMENT AROUND THE WEARER'S LEG.</p> <p>REFLECTIVITY: 4 ½" WIDE ORANGE MINI-DOT MESH STRIPING WITH (2), 1.25" SILVER REFLECTIVE STRIPES.</p> <p>SIZE: ONE SIZE FITS ALL</p>			
13	<p>VEST, SAFETY, ADOPT-A-HIGHWAY, FOR IDOT.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN WITH 2" BLACK ADOPT-A-HIGHWAY AND IDOT AGENCY LOGO ON BACK.</p> <p>MATERIAL: 1.5 YARDS OF 100% POLYESTER NON-WOVEN POINT BLEND FABRIC, ANSI CLASS 2.</p> <p>PRICE INCLUDES SILK SCREENING OF 2" BLACK ADOPT-A-HIGHWAY LOGO AND 2" IDOT LOGO.</p> <p>ASSEMBLY: 1" BIAS TAPE IS SURGE-SEWN AROUND THE EDGE OF THE PONCHO STYLE CUT MATERIAL LEAVING 6" OF THE BIAS TAPE AS A TIE CLOSURE ON EACH SIDE.</p> <p>REFLECTIVE: 2" SILVER REFLECTIVE TAPE, ANSI CERTIFIED 3RD PARTY, ATTACHED WITH T-40 PLATINUM THREAD. CLASS 2 CONFIGURATION ACCORDING TO ANSI/ISEA 107-2010 STANDARD OR LATEST APPROVED.</p> <p>SIZE: ONE SIZE FITS ALL</p>	1000		
14	<p>CAP, STOCKING, FOR IDOT-ETP/EPV 100% ACRYLIC KNIT. NO IDOT LOGO. BLACK LETTERS "ETP" OR "EVP" SHALL BE INCLUDED WHEN SPECIFIED.</p> <p>COLOR: HIGH-VISIBILITY FLUORESCENT YELLOW-GREEN</p> <p>SIZE: ONE SIZE FITS ALL</p>	100		

15	<p>CAP, BALL, FOR IDOT ETP/EPV UNITS. 50/50 POLYESTER/COTTON.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN; NO IDOT LOGO. BLACK LETTERS "ETP" OR "EPV" SHALL BE INCLUDED WHEN SPECIFIED.</p> <p>SIZE: ONE SIZE FITS ALL</p>	250		
16	<p>SHIRT, POLO STYLE, LONG SLEEVE: ANSI CLASS 3, FOR IDOT-ETP/EPV UNITS, S-XL.</p> <p>FABRIC CONTENT: SHIRT BODY AND SLEEVES: 5-6 OZ. JERSEY KNIT, 100% POLYESTER WITH WICKING AGENT AND SOIL RELEASE-MICROBIAL AGENT. SHIRT COLLAR AND SLEEVE CUFFS: 5-6 OZ. RIB KNIT, 100% POLYESTER WITH WICKING AGENT AND SOIL RELEASE-MICROBIAL AGENT. COLLAR AND CUFFS TO BE DYED AT SAME TIME AS THE JERSEY KNIT FABRIC FOR THE SHIRTS.</p> <p>ASSEMBLY: SINGLE NEEDLE CONSTRUCTION WITH BAR TACK REINFORCEMENT AT HIGH STRESS POINTS. ALL SEAMS TO BE SURGE SEWN WITH A SAFETY STITCH AND DOUBLE REINFORCING STITCH FOR THE SHOULDER SEAMS.</p> <p>BADGE TAB: 1" WIDE MATERIAL 1.5" LONG WITH (2) 1/8" DIAMETER GROMMETS SPACED 1" APART AND CENTERED IN THE LENGTH OF THE TAB. THE TAB IS LOCATED 6" DOWN FROM THE SHOULDER SEAM ON THE LEFT BREAST PANEL OF THE SHIRT AND 3 1/2" FROM THE SIDE SEAM UNDER THE LEFT ARM.</p> <p>POCKET: THE POCKET IS LOCATED JUST BELOW THE BADGE TAB AND 9" FROM THE SHOULDER SEAM ON THE RIGHT BREAST PANEL OF THE SHIRT. THE POCKET MEASURES 5 1/4" WIDE BY 5- 3/4" LENGTH.</p> <p>PATCH: ETP/EPV WILL PROVIDE THE LOGO PATCH TO BE SEWN BY THE VENDOR ON THE LEFT UPPER ARM. 2" FROM SHOULDER.</p> <p>REFLECTIVITY: 4 1/2" WIDE MINI-DOT ORANGE</p>	140		

	<p>STRIPING WITH (2), 1" OR (1), 2" SILVER REFLECTIVE STRIPES, ANSI CERTIFIED 3RD PARTY, ATTACHED TO THE SHIRT WITH T-40 PLATINUM THREAD. CLASS 3 CONFIGURATION ACCORDING TO ANSI-ISEA 107-2010 STANDARD OR LATEST APPROVED.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN COMPLIANT WITH ANSI-ISEA 107-2010 OR LATEST APPROVED. THIRD PARTY CERTIFICATION OF ANSI COMPLIANCE IS REQUIRED. SHIRT COLLAR, SLEEVE CUFFS AND POCKET ARE TO BE SECURELY ATTACHED TO THE SHIRT USING T-40 NEON YELLOW THREAD, SINGLE STITCH.</p> <p>SIZE: SMALL (39-41" CHEST), MEDIUM (42-43" CHEST), LARGE (44-48" CHEST), EXTRA LARGE (47-48" CHEST)</p>			
17	<p>SHIRT, POLO STYLE, LONG SLEEVE: ANSI CLASS 3, FOR IDOT-ETP/EPV UNITS, 2XL-9XL.</p> <p>FABRIC CONTENT: SHIRT BODY AND SLEEVES: 5-6 OZ. JERSEY KNIT, 100% POLYESTER WITH WICKING AGENT AND SOIL RELEASE-MICROBIAL AGENT. SHIRT COLLAR AND SLEEVE CUFFS: 5-6 OZ. RIB KNIT, 100% POLYESTER WITH WICKING AGENT AND SOIL RELEASE-MICROBIAL AGENT. COLLAR AND CUFFS TO BE DYED AT SAME TIME AS THE JERSEY KNIT FABRIC FOR THE SHIRTS.</p> <p>ASSEMBLY: SINGLE NEEDLE CONSTRUCTION WITH BAR TACK REINFORCEMENT AT HIGH STRESS POINTS. ALL SEAMS TO BE SURGE SEWN WITH A SAFETY STITCH AND DOUBLE REINFORCING STITCH FOR THE SHOULDER SEAMS.</p> <p>BADGE TAB: 1" WIDE MATERIAL 1.5" LONG WITH (2) 1/8" DIAMETER GROMMETS SPACED 1" APART AND CENTERED IN THE LENGTH OF THE TAB. THE TAB IS LOCATED 6" DOWN FROM THE SHOULDER SEAM ON THE LEFT BREAST PANEL OF THE SHIRT AND 3 1/2" FROM THE SIDE SEAM UNDER THE LEFT ARM.</p> <p>POCKET: THE POCKET IS LOCATED JUST BELOW THE BADGE TAB AND 9" FROM THE</p>	140		

	<p>SHOULDER SEAM ON THE RIGHT BREAST PANEL OF THE SHIRT. THE POCKET MEASURES 5 ¼" WIDE BY 5- ¾" LENGTH.</p> <p>PATCH: ETP/EPV WILL PROVIDE THE LOGO PATCH TO BE SEWN BY THE VENDOR ON THE LEFT UPPER ARM. 2" FROM SHOULDER.</p> <p>REFLECTIVITY: 4 ½" WIDE MINI-DOT ORANGE STRIPING WITH (2), 1" OR (1), 2" SILVER REFLECTIVE STRIPES, ANSI CERTIFIED 3RD PARTY, ATTACHED TO THE SHIRT WITH T-40 PLATINUM THREAD. CLASS 3 CONFIGURATION ACCORDING TO ANSI-ISEA 107-2010 STANDARD OR LATEST APPROVED.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN COMPLIANT WITH ANSI-ISEA 107-2010 OR LATEST APPROVED. THIRD PARTY CERTIFICATION OF ANSI COMPLIANCE IS REQUIRED. SHIRT COLLAR, SLEEVE CUFFS AND POCKET ARE TO BE SECURELY ATTACHED TO THE SHIRT USING T-40 NEON YELLOW THREAD, SINGLE STITCH.</p> <p>SIZE: 2XL (49-52" CHEST), 3XL (53-56" CHEST), 4XL (57-60" CHEST) 5XL (61-64" CHEST), 6XL (65-68" CHEST), 7XL (69-72" CHEST) 8XL (73-76" CHEST) 9XL (77-80" CHEST)</p>			
18	<p>SHIRT, POLO STYLE, SHORT SLEEVE: ANSI CLASS 2, FOR IDOT-ETP/EPV UNITS, S-XL.</p> <p>FABRIC CONTENT: SHIRT BODY AND SLEEVES: 5-6 OZ. JERSEY KNIT, 100% POLYESTER WITH WICKING AGENT AND SOIL RELEASE-MICROBIAL AGENT. SHIRT COLLAR AND SLEEVE WELTS: 5-6 OZ. RIB KNIT, 100% POLYESTER WITH WICKING AGENT AND SOIL RELEASE-MICROBIAL AGENT. COLLAR AND SLEEVE WELTS TO BE DYED AT SAME TIME AS THE JERSEY KNIT FABRIC FOR THE SHIRTS.</p> <p>ASSEMBLY: SINGLE NEEDLE CONSTRUCTION WITH BAR TACK REINFORCEMENT AT HIGH STRESS POINTS. ALL SEAMS TO BE SURGE SEWN WITH A SAFETY STITCH AND DOUBLE REINFORCING STITCH FOR THE SHOULDER SEAMS.</p>	140		

	<p>BADGE TAB: 1" WIDE MATERIAL 1.5" LONG WITH (2) 1/8" DIAMETER GROMMETS SPACED 1" APART AND CENTERED IN THE LENGTH OF THE TAB. THE TAB IS LOCATED 6" DOWN FROM THE SHOULDER SEAM ON THE LEFT BREAST PANEL OF THE SHIRT AND 3 1/2" FROM THE SIDE SEAM UNDER THE LEFT ARM.</p> <p>POCKET: THE POCKET IS LOCATED JUST BELOW THE BADGE TAB AND 9" FROM THE SHOULDER SEAM ON THE RIGHT BREAST PANEL OF THE SHIRT. THE POCKET MEASURES 5 1/4" WIDE BY 5- 3/4" LENGTH.</p> <p>PATCH: ETP/EPV WILL PROVIDE THE LOGO PATCH TO BE SEWN BY THE VENDOR ON THE LEFT UPPER ARM, 2" FROM SHOULDER.</p> <p>REFLECTIVITY: 4 1/2" WIDE MINI-DOT ORANGE STRIPING WITH (2), 1" OR (1), 2" SILVER REFLECTIVE STRIPES, ANSI CERTIFIED 3RD PARTY, ATTACHED TO THE SHIRT WITH T-40 PLATINUM THREAD. CLASS 3 CONFIGURATION ACCORDING TO ANSI-ISEA 107-2010 STANDARD OR LATEST APPROVED.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN COMPLIANT WITH ANSI-ISEA 107-2010 OR LATEST APPROVED. THIRD PARTY CERTIFICATION OF ANSI COMPLIANCE IS REQUIRED. SHIRT COLLAR, SLEEVE CUFFS AND POCKET ARE TO BE SECURELY ATTACHED TO THE SHIRT USING T-40 NEON YELLOW THREAD, SINGLE STITCH.</p> <p>SIZES: SMALL (39-41" CHEST), MEDIUM (42-43" CHEST), LARGE (44-46" CHEST), EXTRA LARGE (47-48" CHEST).</p>			
19	<p>SHIRT, POLO STYLE, SHORT SLEEVE: ANSI CLASS 2, FOR IDOT-ETP/EPV UNITS, 2XL-9XL.</p> <p>FABRIC CONTENT: SHIRT BODY AND SLEEVES: 5-6 OZ. JERSEY KNIT, 100% POLYESTER WITH WICKING AGENT AND SOIL RELEASE-MICROBIAL AGENT. SHIRT COLLAR AND SLEEVE WELTS: 5-6 OZ. RIB KNIT, 100% POLYESTER WITH WICKING AGENT AND SOIL RELEASE-MICROBIAL AGENT. COLLAR AND SLEEVE WELTS TO BE DYED AT SAME TIME AS</p>	140		

	<p>THE JERSEY KNIT FABRIC FOR THE SHIRTS.</p> <p>ASSEMBLY: SINGLE NEEDLE CONSTRUCTION WITH BAR TACK REINFORCEMENT AT HIGH STRESS POINTS. ALL SEAMS TO BE SURGE SEWN WITH A SAFETY STITCH AND DOUBLE REINFORCING STITCH FOR THE SHOULDER SEAMS.</p> <p>BADGE TAB: 1" WIDE MATERIAL 1.5" LONG WITH (2) 1/8" DIAMETER GROMMETS SPACED 1" APART AND CENTERED IN THE LENGTH OF THE TAB. THE TAB IS LOCATED 6" DOWN FROM THE SHOULDER SEAM ON THE LEFT BREAST PANEL OF THE SHIRT AND 3 1/2" FROM THE SIDE SEAM UNDER THE LEFT ARM.</p> <p>POCKET: THE POCKET IS LOCATED JUST BELOW THE BADGE TAB AND 9" FROM THE SHOULDER SEAM ON THE RIGHT BREAST PANEL OF THE SHIRT. THE POCKET MEASURES 5 1/4" WIDE BY 5- 3/4" LENGTH.</p> <p>PATCH: ETP/EPV WILL PROVIDE THE LOGO PATCH TO BE SEWN BY THE VENDOR ON THE LEFT UPPER ARM, 2" FROM SHOULDER.</p> <p>REFLECTIVITY: 4 1/2" WIDE MINI-DOT ORANGE STRIPING WITH (2), 1" OR (1), 2" SILVER REFLECTIVE STRIPES, ANSI CERTIFIED 3RD PARTY, ATTACHED TO THE SHIRT WITH T-40 PLATINUM THREAD. CLASS 3 CONFIGURATION ACCORDING TO ANSI-ISEA 107-2010 STANDARD OR LATEST APPROVED.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN COMPLIANT WITH ANSI-ISEA 107-2010 OR LATEST APPROVED. THIRD PARTY CERTIFICATION OF ANSI COMPLIANCE IS REQUIRED. SHIRT COLLAR, SLEEVE CUFFS AND POCKET ARE TO BE SECURELY ATTACHED TO THE SHIRT USING T-40 NEON YELLOW THREAD, SINGLE STITCH.</p> <p>SIZE: 2XL (49-52" CHEST), 3XL (53-56" CHEST), 4XL (57-60" CHEST) 5XL (61-64" CHEST), 6XL (65-68" CHEST), 7XL (69-72" CHEST) 8XL (73-76" CHEST) 9XL (77-80" CHEST)</p>			
--	--	--	--	--

20	<p>TROUSER, WORK, ANSI CLASS E, FOR IDOT ETP/EPV UNITS, BLACK, ALL SIZES.</p> <p>FABRIC CONTENT: 80% DACRON (OR APPROVED EQUAL) POLYESTER, 20% WORSTED WOOL, TWILL BLEND, 11.5-12 OZ. WEIGHT.</p> <p>ASSEMBLY: SINGLE NEEDLE CONSTRUCTION, SURGED SEAM WITH LOCKING SAFETY STITCH, AND BAR TACK REINFORCEMENTS AT HIGH STRESS POINTS.</p> <p>WAISTBAND: 3" WAISTBAND WITH GRAB TEX (OR APPROVED EQUAL) ELASTIC. THE WAISTBAND FASTENS IN THE FRONT WITH (2) SNAP AND EYE HOOKS. THE TROUSERS ALSO HAVE A BUTTON FRENCH FLY TO PROVIDE ADDITIONAL CLOSURE.</p> <p>BELT LOOPS: THE TROUSERS HAVE (7) BELT LOOPS MEASURING 1" WIDE AND 3" LONG ATTACHING UNDER THE WAISTBAND WITH REINFORCING BAR TACKS.</p> <p>ZIPPER: THE TROUSERS ARE CONSTRUCTED USING A HEAVY DUTY BRASS CHAIN ZIPPER.</p> <p>CARGO POCKETS: THE TROUSERS HAVE (2) CARGO POCKETS MEASURING 7 ¼" WIDE LOCATED ON BOTH THE LEFT SIDE LEG AND RIGHT SIDE LEG. BOTH POCKETS HAVE A POCKET FLAP WITH VELCRO (OR APPROVED EQUAL) FASTENER MEASURING 2 ½" WIDE X 7 ¼" LONG TO KEEP THE FLAP DOWN. THE SIDES OF THE FLAP ARE SEWN DOWN TO THE POCKET PREVENTING ANYTHING IN THE POCKETS FROM FALLING OUT.</p> <p>COLOR: BLACK</p> <p>REFLECTIVITY: THE REFLECTIVE TAPE WILL COMPLY WITH ANSI-ISEA 107-2010 OR LATEST APPROVED. THE TROUSERS WILL HAVE ONE VERTICAL 2" SILVER REFLECTIVE TAPE STRIPE RUNNING ON THE OUTSIDE FROM THE BOTTOM OF THE WAISTBAND TO THE HEM OF EACH LEG OF THE TROUSER. IN ADDITION TO THE VERTICAL REFLECTIVE STRIPE, THE TROUSERS WILL HAVE (2)</p>	375		
----	--	-----	--	--

	<p>HORIZONTAL 2" REFLECTIVE STRIPES AROUND THE CALF AREA OF EACH TROUSER LEG. ALL OF THE REFLECTIVE STRIPING WILL BE AFFIXED TO HIGH VISIBILITY, FLUORESCENT YELLOW BACKGROUND MATERIAL TO PROVIDE CONTRAST.</p> <p>SIZES: ALL SIZED. CUSTOMER IS TO PROVIDE THE WAIST MEASUREMENT AND INSEAM MEASUREMENT OF EACH PAIR OF TROUSERS ORDERED. CONTRACTOR WILL PRODUCE THE GARMENT IN THE SIZE PROVIDED BY THE CUSTOMER.</p>			
21	<p>JACKET, ALL-SEASON, WATER REPELLANT OR WATERPROOF POLYESTER SHELL AND REMOVABLE INSULATED LINER, ANSI CLASS 3, FOR IDOT-ETP/EPV UNITS, M-XL</p> <p>FABRIC CONTENT: 100% POLYESTER MILITARY GRADE WATER REPELLANT OR WATERPROOF OUTER POLYESTER SHELL.</p> <p>ASSEMBLE: THE JACKET IS DOUBLE-NEEDLE CONSTRUCTION IN ALL SEAMS. INCLUDED WITH THE JACKET IS A REMOVABLE 200G (GRAMS/SQUARE METER) INSULATED LINER. THE JACKET FEATURES ELASTIC WRIST CUFFS, ELASTIC WAISTBAND AND A REMOVABLE INSULATED HOOD THAT CAN BE STORED IN AN INNER BACK PANEL HOOD POCKET WHEN NOT IN USE. EACH FRONT PANEL FEATURES A HAND-WARMER POCKET. THE RIGHT AND LEFT INNER PANELS OF THE JACKET AND THE RIGHT AND LEFT INNER PANELS OF THE REMOVABLE LINER EACH HAVE AN INNER BREAST POCKET (4 INNER POCKETS TOTAL). THE JACKET FRONT PANELS CLOSE WITH A HEAVY-DUTY BRASS ZIPPER.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p> <p>REFLECTIVITY: 4 ½" WIDE MINI-DOT ORANGE STRIPING WITH (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR</p>	40		

	<p>LATEST APPROVED:</p> <p>SIZES: M (35-38" CHEST), L (39-42" CHEST), XL (43-46" CHEST), REFER TO CONTRACT VENDOR FOR MORE DETAILED SLEEVE LENGTH AND BODY LEGTH MEASUREMENTS.</p>			
22	<p>JACKET, ALL-SEASON, WATER REPELLANT OR WATERPROOF POLYESTER SHELL AND REMOVABLE INSULATED LINER, ANSI CLASS 3, FOR IDOT-ETP/EPV UNITS, 2XL-8XL</p> <p>FABRIC CONTENT: 100% POLYESTER MILITARY GRADE WATER REPELLANT OR WATERPROOF OUTER POLYESTER SHELL.</p> <p>ASSEMBLE: THE JACKET IS DOUBLE-NEEDLE CONSTRUCTION IN ALL SEAMS. INCLUDED WITH THE JACKET IS A REMOVABLE 200G (GRAMS/SQUARE METER) INSULATED LINER. THE JACKET FEATURES ELASTIC WRIST CUFFS, ELASTIC WAISTBAND AND A REMOVABLE INSULATED HOOD THAT CAN BE STORED IN AN INNER BACK PANEL HOOD POCKET WHEN NOT IN USE. EACH FRONT PANEL FEATURES A HAND-WARMER POCKET. THE RIGHT AND LEFT INNER PANELS OF THE JACKET AND THE RIGHT AND LEFT INNER PANELS OF THE REMOVABLE LINER EACH HAVE AN INNER BREAST POCKET (4 INNER POCKETS TOTAL). THE JACKET FRONT PANELS CLOSE WITH A HEAVY-DUTY BRASS ZIPPER.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p> <p>REFLECTIVITY: 4 ½" WIDE MINI-DOT ORANGE STRIPING WITH (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED:</p> <p>SIZES: 2XL (47-52" CHEST), 3XL (53-58" CHEST), 4XL (59-64" CHEST), 5XL (65-70" CHEST), 6XL (71-76" CHEST), 7XL (77-82" CHEST) 8XL (83-88" CHEST). REFER TO CONTRACT VENDOR FOR MORE DETAILED SLEEVE LENGTH AND BODY LEGTH</p>	35		

	MEASUREMENTS.			
23	<p>SWEATJACKET, HOOD, ZIPPER FRONT ANSI CLASS 3 FOR IDOT ETP/EPV UNITS, SIZES S-7XL. INCLUDED TWO FRONT HAND-WARMER POCKETS, LONG SLEEVES, 50% POLYESTER/ 50% COTTON, HEAVY WEIGHT.</p> <p>COLOR: HIGH-VISIBILITY FLUORESCENT YELLOW-GREEN, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p> <p>REFLECTIVITY: PREFER 4 1/2" WIDE MINI-DOT ORANGE, ACCEPT 3 3/4" ORANGE STRIPING WITH (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p>	75		
24	<p>SHIRT, BUTTON DOWN, SHORT SLEEVES: ANSI CLASS 2, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION – ETP/EPV UNITS, S-7XL.</p> <p>FABRIC CONTENT, SHIRT BODY AND SLEEVES: 5-6 OZ, 100% POLYESTER WITH WICKING AGENT AND SOIL RELEASE MICROBIAL AGENT.</p> <p>BADGE TAB: 1" WIDE MATERIAL 1.5" LONG WITH (2) 1/8" DIA. GROMMETS SPACED 1" APART AND CENTERED IN THE LENGTH OF THE TAB. THE TAB IS LOCATED 6" DOWN FROM THE SHOULDER SEAM ON THE LEFT BREAST PANEL OF THE SHIRT AND 3-1/2" FROM THE SIDE SEAM UNDER THE LEFT ARM.</p> <p>POCKET: THE POCKET IS LOCATED JUST BELOW THE BADGE TAB AND 9" FROM THE SHOULDER SEAM ON THE RIGHT BREAST PANEL OF THE SHIRT. THE POCKET MEASURES 5-1/4" WIDE BY 5-3/4" LENGTH.</p> <p>PATCH: ETP/EPV WILL PROVIDE LOGO PATCH TO BE SEWN BY VENDOR ON LEFT UPPER ARM 2" FROM SHOULDER.</p> <p>REFLECTIVITY: (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY</p>	50		

	<p>COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN COMPLIANT WITH ANSI-ISEA 107-2010 OR LATEST APPROVED THIRD-PARTY CERTIFICATION OF ANSI COMPLIANCE IS REQUIRED.</p>			
25	<p>RAINGEAR, JACKET, WATER REPELLENT OR WATERPROOF POLYESTER, ANSI CLASS 3, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION – ETP/EPV UNITS OR NON-ETP/EPV EMPLOYEES, S-7XL</p> <p>FABRIC CONTENT: 100% WATER REPELLENT OR WATERPROOF POLYESTER</p> <p>ASSEMBLY: THE JACKET IS DOUBLE-NEEDLE CONSTRUCTION IN ALL SEAMS AND FEATURES A REMOVABLE HOOD, A MINIMUM OF 2 FRONT POCKETS THAT CLOSE WITH WATERPROOF ZIPPERS, AND A MICROPHONE CLIP.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED</p> <p>REFLECTIVITY: (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED. CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p>	50		
26	<p>RAINGEAR, PANTS, WATER REPELLENT OR WATERPROOF POLYESTER, ANSI CLASS E, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION – ETP/EPV UNITS OR NON-ETP/EPV EMPLOYEES, S-7XL</p> <p>FABRIC CONTENT: 100% WATER REPELLENT OR WATERPROOF POLYESTER</p> <p>ASSEMBLY: THE PANTS ARE DOUBLE-NEEDLE CONSTRUCTION IN ALL SEAMS WITH ELASTIC</p>	50		

	<p>WAISTBAND.</p> <p>COLOR: BLACK</p> <p>REFLECTIVITY: THE REFLECTIVE TAPE WILL COMPLY WITH ANSI/ISEA 107-2010 OR LATEST APPROVED. THE PANTS WILL HAVE ONE VERTICAL 2" SILVER REFLECTIVE TAPE STRIPE RUNNING ON THE OUTSIDE FROM THE BOTTOM OF THE WAISTBAND TO THE HEM OF EACH LEG. IN ADDITION TO THE VERTICAL REFLECTIVE STRIPE, THE PANTS WILL HAVE (2) HORIZONTAL 2" SILVER REFLECTIVE STRIPES AROUND THE CALF AREA OF EACH TROUSER LEG. ALL OF THE REFLECTIVE STRIPING WILL BE AFFIXED TO HIGH VISIBILITY FLUORESCENT YELLOW BACKGROUND MATERIAL TO PROVIDE CONTRAST.</p>			
27	<p>RANGER HAT, LT. WEIGHT, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION, IDOT OR EMPLOYEE PURCHASE</p> <p>POLYESTER, WITH CHIN STRAP.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW GREEN.</p> <p>REFLECTIVITY: PREFER 1" SILVER REFLECTIVE TAPE AROUND CIRCUMFERENCE OF HAT ON CONTRASTING ORANGE COLOR.</p> <p>SIZE: ONE SIZE FITS ALL</p>	50		
28	<p>HI-VIS MECHANICS WORK GLOVES, REINFORCED THUMB AND PALM, WITH REFLECTIVE STRIPE, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION, SIZES M, L, XL, 2XL.</p> <p>COLOR - BLACK WITH HIGH VISIBILITY FLUORESECNT YELLOW GREEN OR ORANGE ACCENT</p>	50		
29	<p>T-SHIRT, LT WEIGHT, SHORT SLEEVES, POLYESTER BLEND MATERIAL: ANSI CLASS 2, SIZES S-5XL AND TALL L-3XL FOR IDOT OR</p>	50		

	<p>EMPLOYEE PURCHASE</p> <p>COLOR: HIGH-VISIBILITY FLUORESCENT YELLOW-GREEN, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p> <p>REFLECTIVITY: PREFER 4 1/2" WIDE MINI-DOT ORANGE, ACCEPT 3 3/4" ORANGE STRIPING WITH (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p>			
30	<p>PULLOVER SWEATSHIRT, ANSI CLASS 3, SIZES S-7XL, LONG SLEEVES, 50% POLYESTER/50% COTTON, HEAVY WEIGHT. MINIMUM GSM OF 300 GRAMS/8.85 OZ. FOR IDOT OR EMPLOYEE PURCHASE</p> <p>COLOR: HIGH-VISIBILITY FLUORESCENT YELLOW-GREEN, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p> <p>REFLECTIVITY: PREFER 4 1/2" WIDE MINI-DOT ORANGE, ACCEPT 3 3/4" ORANGE STRIPING WITH (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p>	50		
31	<p>SWEATJACKET, HOOD, ZIPPER FRONT, ANSI CLASS 3, SIZES S-7XL. TWO FRONT HAND-WARMER POCKETS, LONG SLEEVES, 50% POLYESTER/50% COTTON, HEAVY WEIGHT. FOR IDOT OR EMPLOYEE PURCHASE</p> <p>COLOR: HIGH-VISIBILITY FLUORESCENT YELLOW-GREEN, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p> <p>REFLECTIVITY: PREFER 4 1/2" WIDE MINI-DOT ORANGE, ACCEPT 3 3/4" ORANGE STRIPING WITH (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p>	50		

32	<p>T-SHIRT, SAFETY, ANSI CLASS 2, FLAT STITCHED CONTRAST PANELS, 100% POLYESTER. FOR IDOT OR EMPLOYEE PURCHASE</p> <p>ML KISHIGO STYLE 9120 OR EQUIVALENT</p> <p>COLOR: HIGH-VISIBILITY FLUORESCENT YELLOW GREEN</p> <p>REFLECTIVITY: PREFER 4 1/2" WIDE MINI-DOT ORANGE, ACCEPT 3 3/4" ORANGE STRIPING WITH (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED</p> <p>SIZE: S-5X</p>	50		
33	<p>JACKET, ALL-SEASON, WATER REPELLENT POLYESTER SHELL AND REMOVABLE INSULATED LINER, ANSI CLASS 3. SIZES M-5XL. FOR IDOT OR EMPLOYEE PURCHASE</p> <p>FABRIC CONTENT: 100% POLYESTER MILITARY GRADE WATER REPELLENT OUTER POLYESTER SHELL.</p> <p>ASSEMBLY: THE JACKET IS DOUBLE-NEEDLE CONSTRUCTION IN ALL SEAMS. INCLUDED WITH THE JACKET IS A REMOVABLE 200G INSULATED LINER. THE JACKET FEATURES ELASTIC WRIST CUFFS, ELASTIC WAISTBAND AND A REMOVABLE INSULATED HOOD THAT CAN BE STORED IN AN INNER BACK PANEL HOOD POCKET WHEN NOT IN USE. EACH FRONT PANEL FEATURES A HAND-WARMER POCKET. THE RIGHT AND LEFT INNER PANELS OF THE JACKET AND THE RIGHT AND LEFT INNER PANELS OF THE REMOVABLE LINER EACH HAVE AN INNER BREAST POCKET (4 INNER POCKETS TOTAL). THE JACKET FRONT PANELS CLOSE WITH A HEAVY-DUTY BRASS ZIPPER.</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR</p>	50		

	<p>LATEST APPROVED.</p> <p>REFLECTIVITY: PREFER 4 1/2" WIDE MINI-DOT ORANGE, ACCEPT 3 3/4" ORANGE STRIPING WITH (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p>			
34	<p>VEST, SAFETY, REFLECTIVE, ANSI CLASS 2, SOLID FRONT WITH MESH BACK, 5 POINT TEAR AWAY, LEFT AND RIGHT MIC TABS, MINIMUM 4 POCKET, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION.</p> <p>PIONEER MODEL NUMBER 6695 OR EQUIVALENT</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN</p> <p>REFLECTIVITY: 2" WIDE REFLECTIVE MATERIAL ON 3" CONTRASTING ORANGE COLOR</p> <p>SIZE: S</p>	50		
35	<p>VEST, SAFETY, REFLECTIVE, ANSI CLASS 2, SOLID FRONT WITH MESH BACK, 5 POINT TEAR AWAY, LEFT AND RIGHT MIC TABS, MINIMUM 4 POCKET, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION.</p> <p>PIONEER MODEL NUMBER 6695 OR EQUIVALENT</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN</p> <p>REFLECTIVITY: 2" WIDE REFLECTIVE MATERIAL ON 3" CONTRASTING ORANGE COLOR</p> <p>SIZE: M</p>	50		
36	<p>VEST, SAFETY, REFLECTIVE, ANSI CLASS 2, SOLID FRONT WITH MESH BACK, 5 POINT TEAR AWAY, LEFT AND RIGHT MIC TABS,</p>	50		

	<p>MINIMUM 4 POCKET, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION.</p> <p>PIONEER MODEL NUMBER 6695 OR EQUIVALENT</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN</p> <p>REFLECTIVITY: 2" WIDE REFLECTIVE MATERIAL ON 3" CONTRASTING ORANGE COLOR</p> <p>SIZE: L</p>			
37	<p>VEST, SAFETY, REFLECTIVE, ANSI CLASS 2, SOLID FRONT WITH MESH BACK, 5 POINT TEAR AWAY, LEFT AND RIGHT MIC TABS, MINIMUM 4 POCKET, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION.</p> <p>PIONEER MODEL NUMBER 6695 OR EQUIVALENT</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN</p> <p>REFLECTIVITY: 2" WIDE REFLECTIVE MATERIAL ON 3" CONTRASTING ORANGE COLOR</p> <p>SIZE: XL</p>	50		
38	<p>VEST, SAFETY, REFLECTIVE, ANSI CLASS 2, SOLID FRONT WITH MESH BACK, 5 POINT TEAR AWAY, LEFT AND RIGHT MIC TABS, MINIMUM 4 POCKET, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION.</p> <p>PIONEER MODEL NUMBER 6695 OR EQUIVALENT</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN</p> <p>REFLECTIVITY: 2" WIDE REFLECTIVE MATERIAL ON 3" CONTRASTING ORANGE COLOR</p>	50		

	SIZE: 2XL			
39	<p>VEST, SAFETY, REFLECTIVE, ANSI CLASS 2, SOLID FRONT WITH MESH BACK, 5 POINT TEAR AWAY, LEFT AND RIGHT MIC TABS, MINIMUM 4 POCKET, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION.</p> <p>PIONEER MODEL NUMBER 6695 OR EQUIVALENT</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN</p> <p>REFLECTIVITY: 2" WIDE REFLECTIVE MATERIAL ON 3" CONTRASTING ORANGE COLOR</p> <p>SIZE: 3XL</p>	50		
40	<p>VEST, SAFETY, REFLECTIVE, ANSI CLASS 2, SOLID FRONT WITH MESH BACK, 5 POINT TEAR AWAY, LEFT AND RIGHT MIC TABS, MINIMUM 4 POCKET, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION.</p> <p>PIONEER MODEL NUMBER 6695 OR EQUIVALENT</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN</p> <p>REFLECTIVITY: 2" WIDE REFLECTIVE MATERIAL ON 3" CONTRASTING ORANGE COLOR</p> <p>SIZE: 4XL</p>	50		
41	<p>VEST, SAFETY, 5 POINT TEARAWAY, CONTRASTING MESH, MIC TAB, REFLECTIVE, ANSI CLASS 2, VELCRO (OR APPROVED EQUAL) STRAP CLOSURES, FITTED, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION. 100% POLYESTER</p> <p>ML KISHIGO STYLE # 1174 OR EQUIVALENT</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN</p>	50		

	<p>REFLECTIVITY: PREFER 4 1/2" WIDE MINI-DOT ORANGE, ACCEPT 3 3/4" ORANGE STRIPING WITH (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p> <p>SIZE: S</p>			
42	<p>VEST, SAFETY, 5 POINT TEARAWAY, CONTRASTING MESH, MIC TAB, REFLECTIVE, ANSI CLASS 2, VELCRO (OR APPROVED EQUAL) STRAP CLOSURES, FITTED, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION. 100% POLYESTER</p> <p>ML KISHIGO STYLE # 1174 OR EQUIVALENT</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN</p> <p>REFLECTIVITY: PREFER 4 1/2" WIDE MINI-DOT ORANGE, ACCEPT 3 3/4" ORANGE STRIPING WITH (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p> <p>SIZE: M</p>	50		
43	<p>VEST, SAFETY, 5 POINT TEARAWAY, CONTRASTING MESH, MIC TAB, REFLECTIVE, ANSI CLASS 2, VELCRO (OR APPROVED EQUAL) STRAP CLOSURES, FITTED, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION. 100% POLYESTER</p> <p>ML KISHIGO STYLE # 1174 OR EQUIVALENT</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN</p> <p>REFLECTIVITY: PREFER 4 1/2" WIDE MINI-DOT ORANGE, ACCEPT 3 3/4" ORANGE STRIPING WITH (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p>	50		

	SIZE: L			
44	<p>VEST, SAFETY, 5 POINT TEARAWAY, CONTRASTING MESH, MIC TAB, REFLECTIVE, ANSI CLASS 2, VELCRO (OR APPROVED EQUAL) STRAP CLOSURES, FITTED, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION. 100% POLYESTER</p> <p>ML KISHIGO STYLE # 1174 OR EQUIVALENT</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN</p> <p>REFLECTIVITY: PREFER 4 1/2" WIDE MINI-DOT ORANGE, ACCEPT 3 3/4" ORANGE STRIPING WITH (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED</p> <p>SIZE: XL</p>	50		
45	<p>VEST, SAFETY, 5 POINT TEARAWAY, CONTRASTING MESH, MIC TAB, REFLECTIVE, ANSI CLASS 2, VELCRO (OR APPROVED EQUAL) STRAP CLOSURES, FITTED, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION. 100% POLYESTER</p> <p>ML KISHIGO STYLE # 1174 OR EQUIVALENT</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN</p> <p>REFLECTIVITY: PREFER 4 1/2" WIDE MINI-DOT ORANGE, ACCEPT 3 3/4" ORANGE STRIPING WITH (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p> <p>SIZE: 2XL</p>	50		
46	<p>VEST, SAFETY, 5 POINT TEARAWAY, CONTRASTING MESH, MIC TAB, REFLECTIVE, ANSI CLASS 2, VELCRO (OR APPROVED EQUAL) STRAP CLOSURES, FITTED, FOR</p>	50		

	<p>ILLINOIS DEPARTMENT OF TRANSPORTATION. 100% POLYESTER</p> <p>ML KISHIGO STYLE # 1174 OR EQUIVALENT</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN</p> <p>REFLECTIVITY: PREFER 4 1/2" WIDE MINI-DOT ORANGE, ACCEPT 3 3/4" ORANGE STRIPING WITH (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p> <p>SIZE: 3XL</p>			
47	<p>VEST, SAFETY, 5 POINT TEARAWAY, CONTRASTING MESH, MIC TAB, REFLECTIVE, ANSI CLASS 2, VELCRO (OR APPROVED EQUAL) STRAP CLOSURES, FITTED, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION. 100% POLYESTER</p> <p>ML KISHIGO STYLE # 1174 OR EQUIVALENT</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT YELLOW-GREEN</p> <p>REFLECTIVITY: PREFER 4 1/2" WIDE MINI-DOT ORANGE, ACCEPT 3 3/4" ORANGE STRIPING WITH (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED</p> <p>SIZE: 4XL</p>	50		
48	<p>VEST, SAFETY, 5 POINT TEARAWAY, CONTRASTING MESH, MIC TAB, REFLECTIVE, ANSI CLASS 2, VELCRO (OR APPROVED EQUAL) STRAP CLOSURES, FITTED, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION. 100% POLYESTER</p> <p>ML KISHIGO STYLE # 1174 OR EQUIVALENT</p> <p>COLOR: HIGH VISIBILITY FLUORESCENT</p>	50		

	<p>YELLOW-GREEN</p> <p>REFLECTIVITY: PREFER 4 1/2" WIDE MINI-DOT ORANGE, ACCEPT 3 3/4" ORANGE STRIPING WITH (2) 1" OR (1) 2" SILVER REFLECTIVE STRIPES, CERTIFIED 3RD PARTY COMPLIANT PER ANSI/ISEA 107-2010 OR LATEST APPROVED.</p> <p>SIZE: 5XL</p>			
49	<p>MESH PANTS, SAFETY, ANSI CLASS E, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION. COLOR: HIGH VISIBILITY FLUORSCENT YELLOW-GREEN. 100% POLYESTER OPEN WEAVE MESH MATERIAL, DRAWSTRING WAIST WITH ELASTIC BACK, ELASTIC BOTTOM CUFF.</p> <p>REFLECTIVITY: 2" MINIMUM WIDTH SILVER REFLECTIVE MATERIAL</p> <p>ML KISHIGO STYLE # 3108 LIME OR EQUIVALENT.</p> <p>SIZE: S-M</p>	50		
50	<p>MESH PANTS, SAFETY, ANSI CLASS E, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION. COLOR: HIGH VISIBILITY FLUORSCENT YELLOW-GREEN. 100% POLYESTER OPEN WEAVE MESH MATERIAL, DRAWSTRING WAIST WITH ELASTIC BACK, ELASTIC BOTTOM CUFF. FOR IDOT OR EMPLOYEE PURCHASE</p> <p>REFLECTIVITY: 2" MINIMUM WIDTH SILVER REFLECTIVE MATERIAL</p> <p>ML KISHIGO STYLE # 3108 LIME OR EQUIVALENT.</p> <p>SIZE: LG-XL</p>	50		
51	<p>MESH PANTS, SAFETY, ANSI CLASS E, FOR ILLINOIS DEPARTMENT OF TRANSPORTATION. COLOR: HIGH VISIBILITY FLUORSCENT YELLOW-GREEN. 100% POLYESTER OPEN WEAVE MESH MATERIAL, DRAWSTRING</p>	50		

	<p>WAIST WITH ELASTIC BACK, ELASTIC BOTTOM CUFF. FOR IDOT OR EMPLOYEE PURCHASE</p> <p>REFLECTIVITY: 2" MINIMUM WIDTH SILVER REFLECTIVE MATERIAL</p> <p>ML KISHIGO STYLE # 3108 LIME OR EQUIVALENT.</p> <p>SIZE: 2X-4X</p>			
--	---	--	--	--

1.3. MILESTONES AND DELIVERABLES:

1.3.1. Minimum Orders:

This solicitation is issued to enable the Department to purchase safety wearing apparel as needed during the contract term.

The minimum order for delivery F.O.B. destination, freight prepaid, shall be \$300. For orders less than the minimum, the vendor shall ship freight prepaid and then add the additional freight charge to the invoice as a separate line item. The Department of Transportation reserves the right to request additional documentation from the contract vendor in order to substantiate actual freight charges.

1.3.2. Samples:

After the bid opening: low qualified bidders may be required to submit specifications or samples of the products bid to the IL Department of Transportation for testing and evaluation. Submission of such samples shall be at no additional cost to the State. Failure to comply may cause the bidder to be disqualified.

Disposition of Samples: No payment will be made for samples; however, samples not destroyed by examination or testing will be returned to bidders, at the bidder's expense, if so requested. When bidders desire samples to be returned, they must indicate this with the sample submission.

1.3.3. Specification Compliance:

Is this bid strictly in accordance with our specifications? If not, bidder shall clearly identify any and all deviations. The State reserves the right to determine if the deviation(s) is material. Attach additional sheet(s) if necessary.

